


	A	B	C
mm	230	150	6.5
in	9.1	5.9	0.25




TOP ACTUATION KIT



Cod. 211743

ESPESSURA MÍNIMA DE PAREDE | MINIMUM WALL THICKNESS | SPESSORE MINIMO DELLA PARETE | ESPESOR MÍNIMO DE PARED | ÉPAISSEUR MINIMALE DU MUR | MINDESTWANDSTÄRKE | MINSTE VEGGTYKKELSE



OLI70 PLUS

OLI74 PLUS

OLI120 PLUS

QUADRA PLUS

EXPERT PLUS

EXPERT PLUS

OLI80



10 mm

0 mm

20 mm

5 mm

0 mm

0 mm

0 mm

0.39 inch

0 inch

0.78 inch






0.19 inch

0 inch

0 inch

0 inch

FRONT




	A		B	
OLI70 PLUS / OLI74 PLUS	30 mm	1.18"	70 mm	2.75"
EXPERT PLUS - FRONT	30 mm	1.18"	70 mm	2.75"
QUADRA PLUS	40 mm	1.57"	55 mm	2.16"
OLI120 PLUS	40 mm	1.57"	80 mm	3.14"

TOP




TOP ACTUATION KIT




Cod. 211743


1



2





3



4






x2



X + 30
X+1.18''









x2




X + 108mm
X+4.25''


TOP



5



6



7

x 2

